



# Teaching Data Science with SAS<sup>®</sup> University Edition and JupyterLab

Brian Gaines

# Think of a time when you needed to communicate the results of a data analysis

- Did it suffer from the “two program” problem?
  - SAS: code, results, graphs, etc.
  - Word/LaTeX: explanatory text and math notation
- Did it involve a lot of copy and paste?
  - Or input/output overhead?

# Think of a time when you needed to communicate the results of a data analysis

Here, we estimate the logistic regression model

$$\log\left(\frac{\pi}{1-\pi}\right) = \beta_0 + \beta_1\text{sex} + \beta_2\text{age} + \beta_3\text{sex*age} + \beta_4\text{pclass} + \beta_5\text{fare} + \beta_6\text{famSize}$$

by using the training set. The results include the Classification Table containing error estimates for different cut-off points, in addition to fit statistics for the training and test sets (see Appendix).

Based on the results, a cut-off point of 0.52 instead of 0.50 is used to make predictions on the test set to assess the model's performance on new data. In this situation, the resulting misclassification error rate is the same, and the model can correctly classify passengers about 77% of the time.

Analysis Variable : predError	
	Mean
	0.2461538

# What if I told you that there is a better way?

- Executable code
- Results
- Descriptive text
- Math notation

All in one document!

# What if I told you that there is a better way?

Based on the Classification Table above, a cut-off point of 0.52 instead of 0.50 is used to make predictions on the test set to assess the model's performance. In this situation, the resulting misclassification error rate was the same, and the model is able to correctly classify passengers about 77% of the time.

```
[19]: data work.titanicTestPred;
      set work.titanicTestPred;
      if P_1 > 0.52 then survivedPred = 1;
         else survivedPred = 0;
      if survivedPred = survived then predError = 0;
         else predError = 1;
run;
proc means data=titanicTestPred mean;
  var predError;
run;
```

[19]: **The SAS System**

## The MEANS Procedure

Analysis Variable : predError

Mean
0.2461538

# What if I told you that there is a better way?

Based on the Classification Table above, a cut-off point of 0.52 instead of 0.50 is used to make predictions on the test set to assess the model's performance. In this situation, the resulting misclassification error rate was the same, and the model is able to correctly classify passengers about 77% of the time.

```
[19]: data work.titanicTestPred;
      set work.titanicTestPred;
      if P_1 > 0.52 then survivedPred = 1;
      else survivedPred = 0;
      if survivedPred = survived then predError = 0;
      else predError = 1;
run;
proc means data=titanicTestPred mean;
  var predError;
run;
```

[19]: The SAS System

## The MEANS Procedure

Analysis Variable : predError

Mean
0.2461538

# SAS resources for educators and learners

## Academic Programs

- Joint Certificate Program
- Master's Degree Program
- Student Ambassador Program

## SAS Software

- SAS® University Edition
- SAS® on Demand for Academics
- SAS® Viya® for Learners

## Training

- On-site faculty and/or student workshops
- Free e-Learning
- Video Tutorials
- Training & Certification Discounts

## Teaching Assets & Resources

- Teaching Kits
- Free Evaluation Book Copies
- Curriculum Consulting
- Online Support Communities

[sas.com/academic](https://sas.com/academic)

# SAS resources for educators and learners

## Academic Programs

- Joint Certificate Program
- Master's Degree Program
- Student Ambassador Program

## SAS Software

- SAS<sup>®</sup> University Edition
- SAS<sup>®</sup> on Demand for Academics
- SAS<sup>®</sup> Viya<sup>®</sup> for Learners

## Training

- On-site faculty and/or student workshops
- Free e-Learning
- Video Tutorials
- Training & Certification Discounts

## Teaching Assets & Resources

- Teaching Kits
- Free Evaluation Book Copies
- Curriculum Consulting
- Online Support Communities

[sas.com/academic](https://sas.com/academic)



# SAS University Edition is **free** SAS software for academic, non-commercial use

- Install locally or access via Amazon Web Services
  - Available on Windows, Linux, and macOS
- Includes several SAS products
  - Base SAS<sup>®</sup>, SAS/STAT<sup>®</sup>, SAS/IML<sup>®</sup>, some forecasting procedures

# SAS University Edition includes two programming interfaces

- SAS Studio
  - Modern, browser-based SAS programming interface
  - Programming tools, code-generating tasks, code snippets
- JupyterLab
  - Open-source, browser-based programming interface
  - Successor to Jupyter Notebook
  - Jupyter notebooks: executable code, results, text
  - Can also be used with paid SAS license

# SAS University Edition and JupyterLab facilitate learning important data science skills

- Computing
- Communication
- Collaboration
- Reproducibility

# JupyterLab in action

Live demo

# SAS University Edition and JupyterLab are a great combination for learning and teaching data science

- Free and easy to use
- Improves workflow
- Sharpens communication skills
- Facilitates collaboration
- Promotes reproducibility
- Popular in industry
- Interactive lecture notes for active learning



# Thank you! Please let us know how we can help

- Brian Gaines
  - [Brian.Gaines@sas.com](mailto:Brian.Gaines@sas.com), <http://brgaines.github.io>
  - Statistics education feedback
  - SAS® Studio tasks
- Academic Programs
  - [academic@sas.com](mailto:academic@sas.com), [www.sas.com/academic](http://www.sas.com/academic)
  - Resources available to educators and learners